Docket No.: NY-MSI 203-US

RECEIVED CENTRAL FAX CENTER

OCT 0 2 2008

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A <u>program storage comprising computer-executable</u>
instructions for method of continuously analyzing trial data of an ongoing clinical
trial, the method comprising the steps of said computer-executable instructions
being for:

accessing a trial database comprising trial data of subjects in an ongoing blinded clinical trial comprising a multi-arm study;

accessing a blinding database comprising subject identifiers and associated study group identifiers, wherein a subject's study group being identifiable by a study group identifier;

generating a grouped database from the trial database and the blinding database for statistical analysis, the grouped database grouping the trial data of the subjects based on their study group;

performing a statistical analysis on the accessed trial database without suspending the ongoing blinded clinical trial;

determining whether the result of the statistical analysis exceeds a predetermined threshold value; and

if it is determined that the result of the statistical analysis does not exceed the predetermined threshold value, then repeating the steps of said computer-executable instructions for accessing a trial database, performing and determining while the blinded clinical trial is ongoing.

2. (Currently amended) The <u>program storage of method according to claim 1</u>, prior to the step of performing a statistical analysis, further comprising the steps of computer-executable instructions for:

reading a user defined criteria that defines the level of cleanliness of the trial data for statistical analysis; and

Docket No.: NY-MSI 203-US

retrieving only those trial data that meet the user defined criteria from the trial database.

Fax: 2123183400

- The program storage of method according to claim 1, 3. (Currently amended) further comprising the step of computer-executable instruction for waiting for a predetermined time period prior to the repeating said computer-executable instruction for accessing a trial database, performing and determining while the blinded clinical trial is ongoing step if it is determined that the result of the statistical analysis does not exceed the predetermined threshold value.
 - (Canceled) 4.
- The program storage of method according to claim 1, 5. (Currently amended) further comprising the step of computer-executable instruction for storing the grouped database in a memory device that is inaccessible by any user.
- The program storage of method according to claim 1, 6. (Currently amended) wherein the step of said computer-executable instruction for performing a statistical analysis is executed without locking the trial database.
 - The program storage of method according to claim 1, 7. (Currently amended) further comprising the steps of computer-executable instructions for:

reading a predefined criteria that defines the level of cleanliness of trial data required for analysis; and

retrieving only those trial data that meet the predefined criteria from the trial database.

The program storage of method according to claim 7; (Currently amended) further comprising the step of computer-executable instruction for storing the grouped database in a memory device that is inaccessible by any user to preserve the blindness of the ongoing blinded clinical trial.

Docket No.: NY-MSI 203-US

Application No. 10/667,848
Preliminary Amendment with RCE

- 9. (Currently amended) The program storage of method according to claim 1, further comprising the step of computer-executable instruction for alerting a user if it is determined that the result of the statistical analysis exceeds the predetermined threshold value.
- 10. (Currently amended) The program storage of method according to claim 9, wherein the predetermined threshold value includes a predetermined statistical significance value.
- 11. (Currently amended) The program storage of method according to claim 10, wherein the step of said computer-executable instruction for performing a statistical analysis comprises the steps of computer-executable instructions for:

 retrieving a user defined statistical model; and running the retrieved user defined statistical model on the trial database.
 - 12. (Currently amended) A program storage comprising computer-executable instructions for method of continuously analyzing trial data of an ongoing blinded clinical trial, the method comprising the steps of said computer-executable instructions being for:

accessing a trial database comprising blinded trial data of subjects in an ongoing blinded clinical trial comprising a multi-arm study;

accessing a blinding database containing subject identifiers and associated study group identifiers, each study group identifier identifying to which study group an associated subject belongs;

producing a grouped database from the trial database and the blinding database, the grouped database grouping the trial data according to the study group;

performing a statistical analysis on the produced grouped database without suspending the ongoing blinded clinical trial;

Docket No.: NY-MSI 203-US

determining whether the result of the statistical analysis exceeds a predetermined threshold value; and

Fax: 2123183400

if it is determined that the result of the statistical analysis does not exceed the predetermined threshold value, then repeating said computer-executable instructions for the above steps of: accessing a trial database, producing a grouped database, performing a statistical analysis, and determining while the blinded clinical trial is ongoing.

The program storage of method according to claim 12, (Currently amended) 13. prior to the step of performing a statistical analysis, further comprising the steps of computer-executable instructions for:

reading a user defined criteria that defines the level of cleanliness of trial data for statistical analysis; and

retrieving only those trial data that meet the user defined criteria from the trial database for statistical analysis.

- The program storage of method according to claim 12, (Currently amended) further comprising the step of computer-executable instruction for storing the produced grouped database in a memory device that is inaccessible by any user.
- The program storage of method-according to claim 12, 15. (Currently amended) wherein the step of said computer-executable instruction for performing a statistical analysis is executed without locking the trial database.
- The program storage of method according to claim 12, 16. (Currently amended) further comprising the step of computer-executable instruction for alerting a user if it is determined that the result of the statistical analysis exceeds the predetermined threshold value.

Docket No.: NY-MSI 203-US

The program storage of method according to claim 16, 17. (Currently amended) wherein the predetermined threshold value includes a predetermined statistical significance value.

A system for continuously analyzing an ongoing 18. (Currently amended) clinical trial comprising:

a storage device operable to store a trial database comprising trial data of subjects in an ongoing blinded clinical trial comprising a multi-arm study;

a processor coupled to the storage device; and

Fax: 2123183400

an analysis program executable by the processor and operable to:

access the trail trial database to retrieve the trial data;

access a blinding database comprising subject identifiers and associated study group identifiers, wherein a subject's study group being identifiable by a study group identifier;

generate a grouped database from the trial database and the blinding database for statistical analysis, the grouped database grouping the trial data of the subjects based on their study group;

perform a statistical analysis on the trial database without suspending the ongoing blinded clinical trial;

determine whether the output result of the statistical analysis exceeds a predetermined threshold value; and

repeat the statistical analysis while the blinded clinical trial is ongoing if it is determined that the result of the statistical analysis does not. exceed the predetermined threshold value.

19. (Original) The system according to claim 18, wherein the analysis program is

further operable to: read a user defined criteria that defines the level of cleanliness of trial data for statistical analysis; and

Docket No.: NY-MSI 203-US

Application No. 10/667,848 Preliminary Amendment with RCE

> retrieve only those trial data that meet the user defined criteria from the trial database.

- The system according to claim 18, wherein if the analysis program (Original) 20. determines that the result of the statistical analysis does not exceed the predetermined threshold value, then the analysis program waits for a predetermined time period prior to repeating the statistical analysis.
- (Canceled) 21.
- The system according to claim 18, further comprising -22. (Previously presented) a memory device coupled to the processor and being inaccessible to any user, wherein the grouped database is stored only in the memory device.
- (Original) The system according to claim 18, wherein the analysis program . . 23. performs the statistical analysis without locking the trial database.
 - The system according to claim 18, wherein the analysis program is (Original) 24. further operable to alert a user if it determines that the result of the statistical analysis exceeds the predetermined threshold value.